## BUREAU OF PUBLIC WATER SUPPLY

# CALENDAR YEAR 2011 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

Wilk-Amit Water Hssnc.	
Public Water Supply Name	
0030007 00030021	
List PWS ID #s for all Water Systems Covered by this CCR	_
deral Safe Drinking Water Act requires each <i>community</i> public water system to devence report (CCR) to its customers each year. Depending on the population served by the provided to the customers, published in a newspaper of local circulation, or provided to the	e p

op and distribute a consumer public water system, this CCR The Fed must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.

Please	Answer the Following Questions Regarding the Consumer Confidence Report										
CONTRACT OF THE PARTY OF THE PA	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)										
	Advertisement in local paper  On water bills  Other										
	Date customers were informed:/										
	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:										
	Date Mailed/Distributed://										
	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)  Name of Newspaper: Enterprise Towns  Date Published: 12212										
	CCR was posted in public places. (Attach list of locations) OFFICE (water)  Date Posted: 5/18/12										
	CCR was posted on a publicly accessible internet site at the address: www										
CERT	<u>IFICATION</u>										
consiste Departi	y certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in and manner identified above. I further certify that the information included in this CCR is true and correct and is ent with the water quality monitoring data provided to the public water system officials by the Mississippi Statement of Health, Bureau of Public Water Supply.    World Modlet Optice Manager   5   22   12   2     Title (President, Mayor, Owner, etc.)   Date										
Name/	Title (President, Mayor, Owner, etc.)										

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

### 2011 Argual Drinking Water Quality Report2012 MAY 15 PM 5: 03 Tk-Amit Water Association PMS排: 0030007 & 030021

We're cleased to preservice you this year. Annual Quality Water Report. This report is designed to inform you second the quality water and services we deliver to you every da . Our constant to all is to provide to wird a safe and dependable supply of drinking visual. Yes wan you to understand the efforts we make to construially improve to a water treatment process and protect our water resources. We are committed to enturing the quality of your water. Our water source is purchased from the Town of Globier that has wells drawing from the Miocene Series Aquiton.

The source water assessment, has been completed for our public water system to determine the overall subsequently of its clinking water supply to identified potential sources of containing and. The general cusceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furralised to our public water system and is available for viewing upon request. The volus for the Town of Gloster have received a higher susceptibility ranking to contemination.

May 2012

If you have any questions about this report or concerning your water utility, please contact Timothy Baylo at 301.249.8741. We want our valued customers to be informed about their water unity. If you want to learn more, please attend any of our regular pseudousid meanings. They are held on the second Monday of each month at 6:0. PM at 1803 S.Captin Drive, Gloster, MS 39638.

We receively monitor to constituents in your drinking water according to Federal and State laws. This take of the drinking water contain nants that we detacted during the period of January 1st to December 31st, 2011. In cases where monitoring water required in 2011, the table reflects the most recensive suits. As water stavels over the sturface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up sudstances or contaminants from the presence of animals or from human activity microbial contaminants, such as virtuses and bacteria the may cone from sewage ceatment plants, septic systems, agricultural livestock uperations, and wildlife; inorganic contaminants, such as salts and metals. Which can be naturally occurring or result from urban storm-water monoficindustrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesucides and herbicides, which may come from a variety of sources such as agriculture, urban storm-ylater runoff, and residential uses, organic chemical contaminants, including synthetic and volatile organic cleanuals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; adioactive contaminants, which can be naturally occurring or be the tesult of oil and gas production and mining activities. In order to ensure that the strate it is strate to drink, EPA prescribes regulations that limit the amount of certain contaminants it. Water provided by public water systems, All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better uncerstand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Lavel (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maxim: m Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLOs allow for a margin of safety

Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefit: of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two year, or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per iller - one part per billion corresponds to one minute in 2,000 years, or a single panny in \$10,000,000

PWS ID	<b>4 03</b> 00 <b>0</b> ′	; ;		EST RESUL	TS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Lixely Source of Contamination
Inceganio	c Contai	ninanis						
10. Barium	N	2011	.035	No Range	ppm	2	2	Discharge of drilling wastes; discharge Lom Actal refineries; erosion of natura deposits
14. Copper	N	2011	.5	0	ppm	⁴.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
17. Lead	N	2011	3	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
19. Nitrate (as Nitrogen)	N	2011	.4	No Range	ppm	10	10	Runoff from fertilizer use; leaching fron septic tanks, sewage; erosion of natura deposits

Dis nfection	n la y-Frocia	<b>(</b> 23)			and decrees. A supplier discount.				
81. F / A5	N 201°	2	N Range	dqq	ĵ	60 ଲିହୁରି ରଖି <b>ଅଧାରୀ େ nking water</b> ସଂକ୍ରେ କ୍ୟମରନ			
Chlorine	N 2011	.70	.43 - 2.48	ppm	1 C	MDRL = 4 / W/archauditive cased to control machibe.			
Treatment '	Technique	Duration of	- orractive		Health Ef	ffects Language			
Grou ਮੁੰ Water Rule	ailure to Provice Adequate	V:olation 6/01/2011	s bilateral c	has entered into ompliance and/or corrected	Insidequately treates wards may contain disease-causing organisms. These cogarisms holide bacteria, viruses, and parasites, which can bause symptoms such as nausea,				
	Creatment		the deficient			diarrhea, a la assuciated headaches.			

0 / 1	1			The same of the sa				
Conteminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCL.	MCL	kalgraphrue of Contamination
Inciganic	Contai	ninemí						
10. Bərium	N	2011	.037	N∈ Range	ppm	2	2	Discharge of drilling wastes; discharge man dal rafinerius; erosion of natura esposis
14. Chaper	N	2011	.3	C	. ppm	.3	AL=1.3	Corression in household plumbing sistemal erosion of natural deposits; Haccaro, from wood preservatives
17. Laad	N	2014	6	0	ppb	0	AL=15	Carrosion of household plumbing a stem to resion of natural deposits
19. N≎rate (as Nitrogen)	N	2011	.5	M. Range	ppm	· C	10	unoff from fertilleer use; leaching from septic tanks, sewage; erosion of natura deposits
Die nfectio	on Ly-F	rac uc-	3	- Salakan - mare 1 - m s elektrop gegen million - Gladaga and Sala september and establish		Confessioning Ch. squade e.e e en manifestiffs ag Sti	A Committee of the Comm	THE STATE OF THE S
Chlo e	Y	201	.5	J. 5	ppm	0	MDRL =	V/atshariditive used to control     prioxides

<sup>\*</sup> Mos. recent sample. In sample required for 2011.

We are required to more or your drinking states for specific constituents on a monthly basis, reasults of regular more consistency are an indicator of whether or not our drinking water meets health standards. During August 2011 we did not complete monetoring or testing for chlorine and therefore, cannot be sure of the quality of our drinking water during that time.

If present, elevated levate of lead can conseive serious hear a problems, especially for pregnent women and going control and compenent, associated with service lines and home plumbing. Our Water Association is responsible for providing high quality brinking water, but cannot control are variety of maximals used in plumbing components. When your water has been sitting for several hours, you can maximize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you have your water tested. Information on sad in drinking water, lesting methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hottline or at http://www.bpa.gov/safewater/lead. The Mississippi State Department of Health Laboratory orders is ad testing. Please contact 601.576.7582 if you want to have your water tested.

Significant Deficiency System # 030007

During a sanitary survey conducted on 3/35/2010, the Mississippi State Department of Health cited the following significant deficiency(s):

Failure to meet water supply demands (or trioaded)

Corrective Action: The signature is curlently under a Bilateral Compliance Agreement with the MSDH to correct this deficiency by 1/31/2013.

All sources of drinking vister are subject to potential contabilitation by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that this water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotling at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AiDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hedline 1-800-426-4791.

The Volk Amit Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

#### \*\*\*\*\*\* A RESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING\*\*\*\*\*\*

In accordance with the Radionuclides Ruls, all community public water supplies were requires to sample quarterly for radionuclides beginning January 2007 — December 2007. Your public water supply completed sampling by the scheduled deadline; however during an audit of the Mississippi State Department of Health Radiological health laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply. MSDH was required to issue a violation. This is to notify you that as of this date, your water system has not completed the monitoring requirements. The Bureau of Public Water Supply has taken action to ensure that your water system be returned to compliance by March 31, 2013. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply, at 601.576.7518.

Please note CCR report will be published in local paper and clopy of published article will be on our bulletin board in lobby of our office.

#### 2011 Annual Drinking Water Quality Report Wilk-Amite Water Association PWS #0030007 & 0030021

We're pleased to present to you this year's Annual Drinking Water Quality Report. This report is designed to inform you about the quality water and services we deliver to you every day, Our constant goal is to provide you with a safe and dependable supply of drinking water. We waint you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is purchased from the Town of Gloster that has wells drawing from the Miocene Series Aquifer.

The source water assessment has bean completed for our public water system to determine the overall susceptibility of the drinking assigned to each yell of this system are provided immediately below. A report containing desided information on how the susceptibility determinations were made has been furnished to our explicit water system and is available for viewing upon request. The wells for the Town of Gloster have received a higher susceptibility ranking assigned to concerning your water utility, please contact Timothy Baylor at 601-298-3746. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the figst Monday of each month at 6:30 P.M. at the Wilk Amite Water Building.

We routinely monitor for constituents in your drinking water according to Federal and State Laws. This table below is all of the drinking water contaminants that we detected during the period of January 1st to Deember 31st, 2011. In cases where monitoring want required in 2011, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring more and residential uses; organic chemical contaminants, such as a singular processes and periodeum producation, and a residential uses; organic chemical contaminants, which can be naturally occurring or result from urban storm-water runoff, industrial, or

٨

Maximum Contaminant Level - the Maximum Contaminant Level (MRDL) - The "Maximum Contaminant Level Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Contaminant Level (MRDL) - The Mighest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial conMaximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial con-

taminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (pph) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

PWS ID#: 0030007				TEST RESULTS				
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
Inorganic Con	taminants							
10. Barium	N	2011	.035	No Range	Ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits.
14. Copper	N	2011	.5	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives.
17. Lead	N	2011	3	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits.
20. Nitrate (as Nitrogen)	N	2011	.4	No Range	ppm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits.
Disinfection By-Products								
81. HAA5	N	2011	2	No Range	ppb	0	60	By-product of drinking water disinfection
outhann.	<b>N</b> I	2011	70	15.3.49	nam	n	MUDI -4	Water addition used to control

	Contaminant
	Inorganic Co
	14. Copper
	17. Lead
1	20, Nitrate

T 4 4 T	1							
Treatment Tec	nnique							
TT Violation		Explanation Du		Duration of Violation Corrective			th Effects Langu	
Ground Water Rule		Failure to Provide Adequate Treatment	6/01/2011		The system has entered into a bilateral compliance agreement and/or corrected the deficiency.	These cause s	Inadequately treated water may contain disease-causing origanism. These organisms include bacteria, viruses, and parasites, which cause symptoms such as nausea, cramps, diarrhea, and associated headdaches.	
PWS ID#: 003	30007			TEST RESULTS				
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of 1 Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
Inorganic Con	ntaminants							
10. Barium	N	2011	.037	No Range	Ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits.
14. Copper	N	2011	.3	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives.
17. Lead	N	2011	6	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits.
20, Nitrate (as Nitrogen Disinfection E		2011	.5	No Range	ppm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits.
DISIBLECTION E	sy-rrounct	3						4111
Chlorine	Y	2011	.5	.56	ppm	0	MDRL=4	Water additive used to control microbes

microbes

We are required to monitor you drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. During August 2011 we did not complete monitoring or testing for cholorine and therefore, cannot be sure of the quality of our drinking water during that time. If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimized the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking, if you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public health Laboratory offers lead testing. Please contact 601-576-7582 if you wish to have your water tested.

Significant Deficiency System #030007

During a sanitary survey conducted on 3/30/2010, the Mississippi State Department of Health cited the following significant deficiency(s):

Failure to meet water supply demands (overloaded)
Corrective Action: The system is currently under a Bilateral Compliance Agreement with the MSDH to correct this deficiency by 1/31/2013/

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water that the general population. Immuno-compromised persons such as persons with cancer undergone chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care, providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by representation of the provide top quality, water to every tap. We ask that all our customers help us protect our water resources, which are the heart of our community, our way of life and our children's future.

<sup>\*</sup>Most recent sample, No sample required for 2004.